


# 1.4 Two Inch Access Fitting System Accessories

## Plug Assembly



**Standard Hollow Plug Assembly**  
 Product Code: 700952-217-1

**Standard Solid Plug Assembly**  
 Product Code: 700120-111-1

Other plug material and seal options are available, the Product Code can be generated from the table below:

700952-2	700120-1	X	X	-	X
Hollow Plug	or	Solid Plug	Material	Plug Seals	Coating
		1. - 316 2. - 316L 3. - C276 4. - UNS S21800 5. - CS 6. - UNS S31803 7. - UNS N06625 8. - UNS N08825 9. - Ti A. - F44 B. - UNS S32750 C. - UNS S32760 D. - A105 E. - A350LF2 F. - 321 S/S G. - UNS 20910 Z. - Other (Please Specify) Note: Options 4 & G have 316 S/S trim	0. - Not Required 1. - Viton O-Ring, PTFE Prim. Pkg 2. - Ethylene Propylene O-Ring, VESPEL Prim. Pkg 3. - KALREZ O-Ring, VESPEL Prim. Pkg 4. - No O-Ring, UNS S21800 Prim. Pkg 5. - HYDRIN O-Ring, PTFE Prim. Pkg 6. - Other (Please Specify) 7. - PTFE Probe Seal, PTFE Prim. Pkg - Hollow Plug Only 8. - AED HNBR O-Ring, (Please Specify), PTFE Prim. Pkg 9. - PEEK Probe Seal, PEEK Prim. Pkg - Hollow Plug Only A. - AF69/90 O-Ring, PTFE Prim. Pkg B. - Nitrile O-Ring, PEEK Prim. Pkg C. - FR 25/90 O-Ring, PTFE Prim. Pkg D. - HNBR Elast-O-Lion 101 (RGD) O-Ring, PEEK Prim. Pkg E. - KALREZ O-Ring, PTFE Prim. Pkg F. - FR 58/90 (Viton B) AED O-Ring, PTFE Prim. Pkg G. - Viton AED O-Ring, PEEK Prim. Pkg H. - AFLAS O-Ring, PEEK Prim. Pkg I. - Viton AED O-Ring, PTFE Prim. Pkg J. - Ethylene Propylene (EDPM) O-Ring, PTFE Prim. Pkg K. - Nitrile O-Ring, PTFE Prim. Pkg L. - HNBR Elast-O-Lion 985 O-Ring, PEEK Prim. Pkg M. - VERMILION® FOUR O-Ring, PTFE Prim. Pkg Note: Hollow plug can only have options 0, 6, 7 or 9.		0. - No Coating 1. - Standard Anti-Gall Coating 2. - Other (Please Specify)

# 1.4


## Two Inch Access Fitting System Accessories

### Protective Covers

Description - Application	Product Code	Image	Description - Application	Product Code	Image
Cover With Plain Hole – Continuous Monitoring (ER / LPR Probe)	700732	<p>700732 2inch Access Fitting Electrical Resistance (ER) Probe</p>	Cover With Plain Hole Non-metallic – Continuous Monitoring (Er & LPR probes)	700435	<p>700435 2inch Access Fitting</p>
Cover without hole – Intermittent Monitoring (Coupons, bio probe) / Chemical Injection / Sampling / Sand probe	700734	<p>700734 2inch Access Fitting Coupon Holder</p>	Cover Without Hole Non-metallic – Intermittent Monitoring (Coupons, bio probe) / Chemical Injection / Sampling / Sand probe	700436	<p>700436 2inch Access Fitting</p>
Cover With 1/2" NPT Hole For Fixed Probe Adaptor – reduces dust / moisture ingress, Continuous Monitoring (ER / LPR Probe)	700732E	<p>700732E Fixed Probe Adaptor 2inch Access Fitting</p>	Special Cover – for use with hydrogen probes	700732B	<p>700732B 2inch Access Fitting Hydrogen Probe</p>
Pressure Retaining Cover With Bleed Valve – provides a secondary seal in case of leaks, with bleed valve to release pressure. For intermittent monitoring / injection / sampling	700480	<p>700480 Bleed Valve 2inch Access Fitting Coupon Holder</p>	Pressure Retaining Cover, Plain – provides a secondary seal in case of leaks	700480P	<p>700480P 2inch Access Fitting Coupon Holder</p>
Pressure Retaining Cover With 1/2" NPT Hole For Fixed Probe Adaptor – provides a secondary seal in case of leaks for continuous monitoring with ER / LPR Probes	700731	<p>700731 Fixed Probe Adaptor 2inch Access Fitting ER Probe</p>	Pressure Retaining Cover With Bleed Valve & Pressure Gauge – Provides a secondary seal in case of leaks with bleed valve to release pressure prior to removal and pressure gauge to show pressure inside cover. For intermittent monitoring / injection / sampling	700481	<p>700481 Pressure Gauge Bleed Valve 2inch Access Fitting Coupon Holder</p>
Pressure Retaining Cover With 1/2" NPT Hole For Fixed Probe Adaptor – provides a secondary seal in case of leaks for continuous monitoring with ER / LPR Probes	700482	<p>700482 Fixed Probe Adaptor 2inch Access Fitting ER Probe</p>	Pressure Retaining Cover With Bleed Valve, Pressure Gauge & 1/2" NPT Hole – Provides a secondary seal in case of leaks with bleed valve to release pressure prior to removal and pressure gauge to show pressure inside cover and 1/2" NPT hole for fixed probe adaptor for continuous monitoring with ER / LPR Probes.	700482	<p>700482 Pressure Gauge Bleed Valve 2inch Access Fitting ER Probe</p>

# 1.4





## Two Inch Access Fitting System Accessories



Further options are available for the access fitting covers, please follow the below guide to generate the complete Product Code for the required cover.

Product Code	-	X	-	X	-	X
700XXX		<b>Material</b> 1. – 1022 CS 2. – 316 SS 3. – UNS S31803 4. – A105 / A350LF2 5. – TITANIUM 6. – A694 7. – A182-F44 8. – AISI4140 / EN19T / 708M40T 9. – UNS S32760 A. – POLYCARBONATE B. – NYLON C. – UNS N06625 D. – UNS N08825 Z. – Other (Please Specify)		<b>O-Ring</b> (Pressure Retaining Only) 0. – Not Required 1. – Viton O-Ring 2. – Ethylene Propylene O-Ring 3. – KALREZ O- Ring 4. – NOT USED 5. – HYDRIN O- Ring 6. – Other (Please Specify) 7. – NOT USED 8. – AED HNBR O- Ring, (Please Specify) 9. – NOT USED A. – AF69/90 O- Ring B. – Nitrile O- Ring C. – FR 25/90 O- Ring D. – HNBR Elast-O-Lion 101 (RGD) O- Ring E. – NOT USED F. – FR 58/90 (Viton B) AED O- Ring G. – NOT USED H. – AFLAS O- Ring I. – Viton AED O- Ring J. – NOT USED K. – NOT USED L. – HNBR Elast-O-Lion 985 O- Ring M. – VERMILION® FOUR O- Ring		<b>Coating</b> 0. – NO COATING 1. – Std. Phosphate Coating With Blue Overpaint 2. – Phosphate Coating Only 3. – Other (Please Specify)  Note: Phosphate Coating is only suitable for carbon steel.

### Service Equipment

Application	Description	Product Code	
Maintenance of threads in the Access Fitting Body	Thread Tap Assembly, M2 Steel	700111	
Maintenance of threads on the Solid and Hollow Plug Bodies	Thread Die Assembly, M2 Steel	700112	
Removal of rust, scale etc. from the plug seat in the Access Fitting Body	Seat Reamer	700113	
For the removal of debris from the Access Fitting Body threads	Thread Brush	700114	
Maintenance of the 3 inch ACME thread on the Access Fitting Body	3 inch Acme Thread Cleaner	700115	-
Multi-purpose Grease	Lithium Grease	700116	-
For use in light hydrocarbon liquids	Silicone Grease	700117	-
For cleaning sand and debris from the Access Fitting Body Threads before installation of Solid and Hollow Plugs under pressure	Cleaning Tube Assembly	700118	-